Breakout Session 1: Track B

MultiViewPortal: Towards a Scalable Web Application for Multiview Learning

Dr. Sandra Safo
Assistant Professor, University of Minnesota

MultiViewPortal
Towards a Scalable Web Application for Multiview Learning

Sandra Safo (ssafo@umn.edu; www.sandraesafo.com)
Division of Biostatistics and Health Data Science



Jan 17-18, 2024

UNIVERSITY OF MINNESOTA
Driven to Discover®

Our Vision for MultiViewPortal

MultiViewPortal
Omics + X Integrator

A comprehensive, centralized approach to multiview data integration, leveraging a unified ecosystem of diverse tools, methods, workflows, and resources

Workflow for MultiViewPortal

Methods and workflows in R/Python and Shiny App



Workflow for MultiViewPortal



Interface of MultiViewPortal

home | supervised | unsupervised | filtering

Integrative Modeling

About:

This interactive web application showcases integrative statistical methods by Dr. Sandra Safo and her colleagues. The user can use one of the example datasets provided or uploa
Summary graphics and tables for all methods are displayed once the model is fit.

SCAN ME

Available Methods:

Supervised Methods

SIDA/SIDANet: The Sparse integrative discriminant analysis (SIDA) package implements the SIDA and SIDANet algorithms for joint association and classification studies. The algo
between multi-view data, and the separation within each view when choosing discriminant vectors that are associated and optimally separate subjects. SIDANet incorporates prior structural information in joint association and classification studies. It uses the normalized Laplacian of a graph to smooth coefficients of predictor variables, thus encouraging selection of predictors that are connected and behave similarly.

- SIDA Manuscript
- SIDA R package

SELP-Predict: Uses the result from SELPCCA to build a prediction model for a continuous, binary, count, or survival outcome. See SELP for more information.

Unupervised Methods

SELP: The SELPCCA package (Sparse Estimation with Linear Programming and Canonical Correlation Analysis) implements SELPCCA to associate two high-dimensional data types. The algorithm obtains a sparse estimate for a solution vector of a generalized eigenvalue problem that identifies the overall dependency between the data types.

- SELP Manuscript
- SELPCCA R package

Some Visualizations in MultiViewPortal









Relevance Network







Methods and Packages for Data Integration

- mvlearnR: https://github.com/lasandrall/mvlearnR
  - Contains supervised and unsupervised linear methods for integrating data from multiple sources
- iDeepViewLearn: https://github.com/lasandrall/iDeepViewLearn
  - Contains deep learning methods for integrating data from multiple sources. Capable of variable ranking for interpretability
- RandMVLearn: https://github.com/lasandrall/RandMVLearn
  - Contains kernel methods for integrating data from multiple sources and predicting a binary/continuous outcome. Capable of individual and group variable selection.

Acknowledgments

The content is solely the responsibility of the authors and does not represent the official views of the funding agencies.

University of Minnesota

Driven to Discover®

Crookston Duluth Morris Rochester Twin Cities

The University of Minnesota is an equal opportunity educator and employer.